

SAFETY DATA SHEET Stoko Spray Instant Hand Sanitizer

1. Identification		
Product identifier		
Product name	Stoko Spray Instant Hand Sanitizer	
Product number	PN55010212-US	
Container size	400 mL	
Details of the supplier of the safety data sheet		
Supplier	Deb USA, Inc. 2815 Coliseum Centre Drive, Suite 600 Charlotte, North Carolina 28217 USA 800-248-7190	
Manufacturer	Deb-Stoko USA LLC 2408 Doyle Street Greensboro NC 27408 USA	
Emergency telephone numbe Emergency telephone	(800) 424-9300 CHEMTREC (North America) (703) 527-3887 CHEMTREC (International, call collect)	
2. Hazard(s) identification		
Classification of the substanc	e or mixture	
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2A - H319	
Environmental hazards	Not Classified	
Label elements Pictogram		
Signal word	Warning	
Hazard statements	H319 Causes serious eye irritation.	
Precautionary statements	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.	
3. Composition/information on ingredients		

Mixtures		
ETHANOL	60-100%	
CAS number: 64-17-5		
Classification Flam. Liq. 2 - H225 Eye Irrit. 2A - H319		
The full text for all hazard state	ements is displayed in Section 16.	
INCI	ALCOHOL,WATER,SODIUM LACTATE,LACTIC ACID,HYDROXYPROPYL CELLULOSE (TYPE H)	
4. First-aid measures		
Description of first aid measur	es	
General information	Get medical attention if any discomfort continues.	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.	
Ingestion	DO NOT induce vomiting. Get medical attention immediately.	
Skin Contact	Remove contaminated clothing.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.	
Most important symptoms and	effects, both acute and delayed	
Inhalation	No specific symptoms known.	
Ingestion	May cause nausea, headache, dizziness and intoxication.	
Skin contact	None known.	
Eye contact	May cause severe eye irritation.	
Indication of immediate medic	al attention and special treatment needed	
Notes for the doctor	No specific recommendations.	
5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.	
Special hazards arising from t	he substance or mixture	
Specific hazards	FLAMMABLE. Forms explosive mixtures with air.	
Hazardous combustion products	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Oxides of carbon.	
Advice for firefighters		
Protective actions during firefighting	Fight fire from safe distance or protected location. Containers close to fire should be removed or cooled with water.	
6. Accidental release measures		

Personal precautions, protective equipment and emergency procedures

Personal precautions	Take precautionary measures against static discharges. No smoking, sparks, flames or other sources of ignition near spillage. Wear suitable protective clothing as protection against splashing or contamination. Avoid inhalation of vapors and contact with skin and eyes.
Environmental precautions Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand,
	earth or other suitable non-combustible material.
Methods and material for con	ainment and cleaning up
Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Wash thoroughly after dealing with a spillage. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.
Reference to other sections	For personal protection, see Section 8.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Keep away from heat, sparks and open flame. Avoid contact with eyes.
Conditions for safe storage, ir	cluding any incompatibilities
Storage precautions	Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure Controls/persona	·
	·
8. Exposure Controls/persona Control parameters Occupational exposure limits ETHANOL	our TWA): OSHA 1000 ppm 1900 mg/m³
8. Exposure Controls/personal Control parameters Occupational exposure limits ETHANOL Long-term exposure limit (8-h	our TWA): OSHA 1000 ppm 1900 mg/m³
8. Exposure Controls/personal Control parameters Occupational exposure limits ETHANOL Long-term exposure limit (8-h OSHA = Occupational Safety	our TWA): OSHA 1000 ppm 1900 mg/m ³ and Health Administration. ETHANOL (CAS: 64-17-5)
8. Exposure Controls/personal Control parameters Occupational exposure limits ETHANOL Long-term exposure limit (8-h	our TWA): OSHA 1000 ppm 1900 mg/m ³ and Health Administration. ETHANOL (CAS: 64-17-5)
8. Exposure Controls/personal <u>Control parameters</u> <u>Occupational exposure limits</u> ETHANOL Long-term exposure limit (8-h OSHA = Occupational Safety Immediate dang	our TWA): OSHA 1000 ppm 1900 mg/m ³ and Health Administration. ETHANOL (CAS: 64-17-5)
8. Exposure Controls/personal Control parameters Occupational exposure limits ETHANOL Long-term exposure limit (8-h OSHA = Occupational Safety Immediate dang and health	our TWA): OSHA 1000 ppm 1900 mg/m ³ and Health Administration. ETHANOL (CAS: 64-17-5)
8. Exposure Controls/personal Control parameters Occupational exposure limits ETHANOL Long-term exposure limit (8-h OSHA = Occupational Safety Immediate dang and health Exposure controls	our TWA): OSHA 1000 ppm 1900 mg/m ³ and Health Administration. ETHANOL (CAS: 64-17-5)
8. Exposure Controls/personal Control parameters Occupational exposure limits ETHANOL Long-term exposure limit (8-h OSHA = Occupational Safety Immediate dang and health Exposure controls	our TWA): OSHA 1000 ppm 1900 mg/m ³ and Health Administration. ETHANOL (CAS: 64-17-5)
8. Exposure Controls/personal Control parameters Occupational exposure limits ETHANOL Long-term exposure limit (8-h OSHA = Occupational Safety Immediate dang and health Exposure controls Protective equipment OCCUPATION OF THE INFORMATION OF THE INFOR	our TWA): OSHA 1000 ppm 1900 mg/m³ and Health Administration. ETHANOL (CAS: 64-17-5) er to life 3300 ppm

Hygiene measures	DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes contaminated.
Respiratory protection	Not relevant.
9. Physical and Chemical Pro	perties
Information on basic physical	and chemical properties
Appearance	Liquid
Color	Clear
Odor	No characteristic odor.
рН	5.5 - 6.5 (10%)
10. Stability and reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	Not known.
Conditions to avoid	Avoid heat, flames and other sources of ignition.
Materials to avoid	Oxidising Agents Aluminium
Hazardous decomposition products	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Oxides of carbon.
11. Toxicological information	
Information on toxicological ef	fects
Respiratory Sensitisation	
Eye Irritation/Damage	
Toxicological effects	No data recorded.
Skin Sensitisation	
General information	No specific health hazards known.
Inhalation	No specific health hazards known.
Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin Contact	Skin irritation should not occur when used as recommended.
Eye contact	Causes eye irritation
12. Ecological Information	
Ecotoxicity	The product is not expected to be toxic to aquatic organisms.
Persistence and degradability	
Persistence and degradability	The product is biodegradable.

Bioaccumulative potential	
Bio-Accumulative Potential	The product is not bioaccumulating.
Mobility in soil	
Mobility	The product is soluble in water.
Other adverse effects	
Other adverse effects	None known.
13. Disposal considerations	
Waste treatment methods	
General information	Only experts should be permitted to carry out disposal of this material. When handling waste, the safety precautions applying to handling of the product should be considered. Wear suitable protective clothing as protection against splashing or contamination.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
14. Transport information	
UN Number	
UN No. (TDG)	1987
UN No. (IMDG)	1987
UN No. (ICAO)	1987
UN No. (DOT)	1987
UN proper shipping name	
Proper shipping name (TDG)	ALCOHOLS, N.O.S.
Proper shipping name (IMDG)	ALCOHOLS, N.O.S.
Proper shipping name (ICAO)	ALCOHOLS, N.O.S.
Proper shipping name (DOT)	ALCOHOLS, N.O.S.
Transport hazard class(es)	
TDG class	3
TDG label(s)	3
IMDG Class	3
ICAO class/division	3
Transport labels	
Packing group	
TDG Packing Group	II

DOT packing group	II
Special precautions for user	
EmS	F-E, S-D
15. Regulatory information	
Regulatory Status	This product is manufactured and labeled in compliance with the Federal Food, Drug, and Cosmetic Act, and is exempt from the labeling requirements of the OSHA Hazard Communication Standard.
16. Other information	
Revision date	1/11/2017
Revision	3
Supersedes date	5/28/2015
SDS No.	20964
Hazard statements in full	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.
Notes For Risk Phrases And	

Hazard Statements In Full